



**Secure XML API Integration Guide - Periodic and Triggered  
add in**

# Table of Contents

<b>1 Introduction.....</b>	<b>3</b>	7.5 Triggering a Triggered Payment.....	29
1.1 About this Guide.....	3	7.5.1 Request	29
1.2 Intended Audience .....	3	7.5.2 Response	29
<b>2 System Overview.....</b>	<b>4</b>	<b>8 Echo Message Elements .....</b>	<b>31</b>
<b>3 SecurePeriodic Payments.....</b>	<b>5</b>	8.1 Request Messages.....	31
3.1 Periodic Requests .....	5	8.2 Response Messages .....	31
3.2 Authentication, Communication & Encryption .....	5	8.3 Echo URLs.....	31
<b>4 XML Message Format and Contents.....</b>	<b>6</b>	8.4 Sample XML Messages.....	31
4.1 XML Header .....	6	8.4.1 Echo	31
4.2 Element Definitions.....	6	8.4.2 Request	31
4.2.1 Element Codes	6	<b>9 XML Over HTTP .....</b>	<b>33</b>
4.2.2 Element Types and Constraints	6	9.1 Request.....	33
4.3 Sample XML Request and Response...	7	9.2 Response .....	33
4.3.1 Request	7	<b>Appendix A: Periodic Types.....</b>	<b>34</b>
4.3.2 Resposn	8	<b>Appendix B: Calendar Payment Intervals .....</b>	<b>35</b>
<b>5 Common XML Message Elements .....</b>	<b>9</b>	<b>Appendix C: Card Types .....</b>	<b>36</b>
5.1 Request Messages.....	9	<b>Appendix D: Location of CVV .....</b>	<b>37</b>
5.1.1 MessageInfo Element	9	<b>Appendix E: Timestamp String Format .....</b>	<b>38</b>
5.1.2 MerchantInfo Element	9	<b>Appendix F: SecurePay Status Codes.....</b>	<b>39</b>
5.1.3 RequestType Element	10	<b>Appendix G: XML Request DTD.....</b>	<b>40</b>
5.1.4 Periodic Element	10	<b>Appendix H: XML Response DTD.....</b>	<b>41</b>
5.2 Response Messages.....	16	<b>Appendix I: EBCIDEC Character Set.....</b>	<b>43</b>
5.2.1 MessageInfo Element	16		
5.2.2 MerchantInfo Element	16		
5.2.3 RequestType Element	17		
5.2.4 Status Element	17		
5.2.5 Periodic Element	17		
<b>6 Payment URLs.....</b>	<b>23</b>		
<b>7 Sample XML Messages.....</b>	<b>24</b>		
7.1 Adding a Once Off Payment.....	24		
7.1.1 Request	24		
7.1.2 Response	24		
7.2 Adding a Periodic Payment.....	25		
7.2.1 Request	25		
7.2.2 Response	26		
7.3 Adding a Triggered Payment.....	26		
7.3.1 Request	26		
7.3.2 Response	27		
7.4 Deleting a Payment.....	28		
7.4.1 Request	28		
7.4.2 Response	28		

# 1 Introduction

## 1.1 About this Guide

This guide provides technical information about integrating and configuring SecurePeriodic within your environment.

SecurePeriodic uses an Application Programming Interface as well as platform independent XML interface allowing developers to build their own products to utilise SecurePeriodic functionality.

SecurePeriodic uses XML request and response messages which can be run on any platform and in any programming language. These messages are transport is via HTTP over SSL.

This guide covers the process of configuring Secure Periodic within an environment in order to integrate the XML API.

## 1.2 Intended Audience

This document is intended for developers, integrating SecurePay's SecurePeriodic interface into their own applications or websites.

It is recommended that someone with web site, XML or application programming experience reads this guide and implements the SecurePeriodic.

## 2 System Overview

SecurePeriodic is an application that allows real time processing of recurring credit card or direct entry payments on specified dates that suit merchant requirements.

Using SecurePeriodic, merchants are able to make periodic, once-off and triggered payments. Periodic payments are configured in SecurePay's periodic database and are configured either via Merchant


SecurePeriodic supports:

- Payment, Refund, Reversals (void), Preauthorise, and Preauthorise Complete (advice) transactions;
- Direct Entry (Direct Debit and Direct Credit) transactions;
- Periodic and Triggered recurring transactions;
- Foreign currency transactions;
- Fully automated Anti-Fraud checking.

The XML interface is SecurePeriodic XML. SecurePeriodic XML is a platform independent method to process periodic and triggered financial transactions. SecurePeriodic XML provides the following:

- Allows users to send an Echo request to check the server's availability;
- Utilises XML request and response messages and can be run on any platform and in any programming language;

All messages are done via HTTP protocol using SSL.



### 3 SecurePeriodic Payments

SecurePeriodic processes the following payment types:

- **Once off** payments only occur once on a merchant specified day.
- **Periodic payments** occur on regular basis as specified by the merchant. The merchant also needs to specify a number of occurrences of the payment to be processed. The Periodic payments occur for the first time on a merchant specified date and then at regular intervals until the requested number of occurrences.
- **Triggered payments** are stored in the SecurePeriodic database before they can be triggered. Once stored in the database the merchant can trigger the payments at any time. They do not require payment details (such as credit card numbers or direct entry details) as they are securely stored in the database when the payment is initially added. The merchant can update the amount of the payment at the time when the payment is triggered.
- **Credit card or direct entry payment** details are stored in SecurePay's database in an encrypted binary format and are never stored in decrypted form on the system. The scheduled payments will be processed at 4.00 PM (direct entry transactions) or 5.30 PM (credit card transactions) on the scheduled date.

All SecurePeriodic payments contain the merchant's name and details. This information appears on the customer's monthly banking statement enabling your customers to have a record of all payments made. Periodic payments can be cancelled at any time via the web interface, API or XML interface when they are no longer required.

*It is necessary for merchants to have signed agreements from their customers before setting up periodic payments from their credit card.*

#### 3.1 Periodic Requests

Periodic requests are used to pass periodic or triggered transaction messages to SecurePay's Periodic Server, which will perform the requested operation, and produce a response based on the outcome.

The Periodic request can be used to perform the following actions:

- Add Periodic or Triggered payments (Credit Card or Direct Entry)
- Delete previously set up Periodic or Triggered payments
- Trigger previously set up Triggered payments.

#### 3.2 Authentication, Communication & Encryption

To ensure merchant security, each merchant is issued with password. This password requires authentication before a request can be processed. This makes sure that unauthorised users will be unable to use the interface on the merchant's behalf.

The password can be changed by the merchant via SecurePay's Merchant Management facility. For details on this process, refer to SecurePay's User Guide.

SecurePeriodic XML interface uses HTTP protocol and SSL for communication with SecurePay's Periodic servers.

Merchants using SecurePeriodic XML will automatically use SecurePay's security certificate to encrypt requests and decrypt responses from SecurePay. When an SSL connection is negotiated between the client and the server, if the certificates presented do not match, or the certificate used is not present, has expired, or has been revoked, the connection will not be allowed.

## 4 XML Message Format and Contents

SecurePeriodic's XML Messages can take the following formats:

- Requests are the messages sent to SecurePay Periodic Server requesting periodic or triggered transactions.
- Responses are the messages sent from SecurePay to the merchant in a response to a request message.
- The Echo requests are used to verify that the SecurePay Periodic Server is available. For information on Echo messages Click [Echo Message Elements](#).

### 4.1 XML Header

The XML document will begin with an XML declaration that contains the following data:

```
<?xml version="1.0" encoding="UTF-8"?>
```

Markup	Usage	Explanation
<?	required	Begins a processing instruction.
xml	required	Declares this to be an XML instruction.
version=" "	required	Identifies the version of XML specification in use.
encoding=" "	required	Indicates which international character set is used.
?>	required	Terminates the processing instruction.

*The XML document must contain a following top level (root) element: <SecurePayMessage>*

### 4.2 Element Definitions

#### 4.2.1 Element Codes

The XML elements located in the Element matrices in sections below have the following definitions used to indicate whether the elements are present in the request and response messages:

Code	Condition
P	Present, the element is required in the message and must be present.
O	Optional, the element is not required in the message but may be present.
X	Not present, the element should not be present.

#### 4.2.2 Element Types and Constraints

The value format descriptions in sections below use keys from the following table:

Type	Constraint	Description
String	A	<ul style="list-style-type: none"> <li>• Alphabetic characters</li> <li>• Value in the element is valid if it only contains characters in the specified set (alphabetic)</li> </ul>
	N	<ul style="list-style-type: none"> <li>• Numeric characters</li> <li>• Value in the element is valid if it only contains characters in the specified set (numeric)</li> </ul>

Type	Constraint	Description
	S	<ul style="list-style-type: none"> <li>Special characters</li> <li>Will be followed with a list of allowed characters</li> <li>Value in the element is valid if it only contains characters in the specified set (special characters)</li> </ul>
	EBCIDEC	<ul style="list-style-type: none"> <li>EBCIDEC character set</li> <li>See Appendix I: EBCIDEC Character Set</li> </ul>
	LEN	<ul style="list-style-type: none"> <li>Number of characters in the string</li> <li>Value in the element is valid if the length of the value is equal to the defined length</li> </ul>
	MINLEN	<ul style="list-style-type: none"> <li>Minimum number of characters in the string</li> <li>Value in the element is valid if the length of the value is greater than or equal to the defined minimum length</li> </ul>
	MAXLEN	<ul style="list-style-type: none"> <li>Maximum number of characters in the string</li> <li>Value in the element is valid if the length of the value is less than or equal to the defined maximum length</li> </ul>
Integer	DIGNO	<ul style="list-style-type: none"> <li>Number of digits in the integer value</li> <li>Value in the element is valid if the number of digits in the value is less than or equal to the defined digits number</li> </ul>
	MINVAL	<ul style="list-style-type: none"> <li>Minimum numerical value</li> <li>Value in the element is valid if it is numerically greater than or equal to the defined minimum value</li> </ul>
	MAXVAL	<ul style="list-style-type: none"> <li>Maximum numerical value</li> <li>Value in the element is valid if it is numerically less than or equal to the defined maximum value</li> </ul>

### 4.3 Sample XML Request and Response

#### 4.3.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0cf40f5fb5c630c</messageID>
    <messageTimestamp>20041803161306527000+660</messageTimestamp>
    <timeoutValue>60</timeoutValue>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
    <password>changeit</password>
  </MerchantInfo>
  <RequestType>Periodic</RequestType>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>add</actionType>
        <clientID>test</clientID>
        <CreditCardInfo>
          <cardNumber>4444333322221111</cardNumber>
          <expiryDate>09/15</expiryDate>
        </CreditCardInfo>
        <amount>2995</amount>
        <periodicType>4</periodicType>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

```
</Periodic>  
</SecurePayMessage>
```

#### 4.3.2 Respons

```
<?xml version="1.0" encoding="UTF-8"?>  
<SecurePayMessage>  
  <MessageInfo>  
    <messageID>8af793f9af34bea0cf40f5fb5c630c</messageID>  
    <messageTimestamp>20041803161316345000+660</messageTimestamp>  
    <apiVersion>spxml-3.0</apiVersion>  
  </MessageInfo>  
  <RequestType>Periodic</RequestType>  
  <MerchantInfo>  
    <merchantID>ABC0001</merchantID>  
  </MerchantInfo>  
  <Status>  
    <statusCode>0</statusCode>  
    <statusDescription>Normal</statusDescription>  
  </Status>  
  <Periodic>  
    <PeriodicList count="1">  
      <PeriodicItem ID="1">  
        <actionType>add</actionType>  
        <clientID>test</clientID>  
        <responseCode>00</responseCode>  
        <responseText>Successful</responseText>  
        <successful>yes</successful>  
        <CreditCardInfo>  
          <pan>444433...111</pan>  
          <expiryDate>09/15</expiryDate>  
          <recurring>no</recurring>  
        </CreditCardInfo>  
        <amount>2995</amount>  
        <periodicType>4</periodicType>  
      </PeriodicItem>  
    </PeriodicList>  
  </Periodic>  
</SecurePayMessage>
```

## 5 Common XML Message Elements

### 5.1 Request Messages

Requests are the messages sent to SecurePay. Following sections describe elements common to all requests.

#### 5.1.1 MessageInfo Element

<b>Description:</b>	Identifies the message.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Validated by SecurePay:</b>	Yes
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<MessageInfo> sub-elements:

Element	Comments
<messageID>	<p><b>Description:</b> Unique identifier for the XML message. Generated by the merchant.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> AN, MINLEN = 0, MAXLEN = 30</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "8af793f9af34bea0cf40f5fb5c630c"</p> <p><b>Sub-elements:</b> No</p>
<messageTimestamp>	<p><b>Description:</b> Time of the request.</p> <p><b>Format type:</b> String, see Appendix E: Timestamp String Format</p> <p><b>Format constraints:</b> NS ('+', '-'), LEN = 24</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "20041803161306527000+660"</p> <p><b>Sub-elements:</b> No</p>
<timeoutValue>	<p><b>Description:</b> Timeout value used, in seconds.</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> DIGNO = 3, MINVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Recommended "60"</p> <p><b>Sub-elements:</b> No</p>
<apiVersion>	<p><b>Description:</b> Version of the product used.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> ANS ('-', '.'), MINLEN = 1, MAXLEN = 13</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Always "spxml-4.2"</p> <p><b>Sub-elements:</b> No</p>

#### 5.1.2 MerchantInfo Element

<b>Description:</b>	Identifies the merchant.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Validated by SecurePay:</b>	Yes
<b>Value:</b>	(No value)

**Sub-elements:** Yes, see table below

<MerchantInfo> sub-elements:

Element	Comments
<merchantID>	<p><b>Description:</b> Merchant ID. 5 or 7-character merchant ID supplied by SecurePay.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> AN, MINLEN = 5, MAXLEN = 7</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> 5-character merchant ID for Direct Entry transactions, eg: "ABC00" 7-character merchant ID for Credit Card transactions, eg: "ABC0001"</p> <p><b>Sub-elements:</b> No</p>
<password>	<p><b>Description:</b> Payment password. Password used for authentication of the merchant's request message, supplied by SecurePay.</p> <p><b>Note:</b> The password can be changed via SecurePay's Merchant Management facility.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> ANS (All characters are allowed), MINLEN = 6, MAXLEN = 20</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "password_01"</p> <p><b>Sub-elements:</b> No</p>

### 5.1.3 RequestType Element

**Description:** Defines the type of the request being processed.

**Format type:** String

**Format constraints:** A, MINLEN = 1, MAXLEN = 20

**Validated by SecurePay:** Yes

**Value:** One of the following:

- "Periodic"
- "Echo"

**Sub-elements:** No

### 5.1.4 Periodic Element

The following <RequestType> element value must be used for all Periodic messages:

<RequestType>Periodic</RequestType>

**Description:** Contains information about financial transactions to be processed.

**Format type:** (No value)

**Format constraints:** (No value)

**Validated by SecurePay:** Yes

**Value:** (No value)

**Sub-elements:** Yes, see table below

<Periodic> sub-elements:

Element	Comments
---------	----------

<PeriodicList>	See PeriodicList Element
----------------	--------------------------

#### 5.1.4.1 PeriodicList Element

<b>Description:</b>	Contains list of transactions to be processed.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Validated by SecurePay:</b>	Yes
<b>Value:</b>	(No value)
<b>Attributes:</b>	Yes, see table below
<b>Sub-elements:</b>	Yes, see table below

<PeriodicList> sub-elements:

Element	Comments
<PeriodicList.count>	<p><b>Description:</b> Item count is an attribute of &lt;PeriodicList&gt; element and specifies number of &lt;PeriodicItem&gt; elements.</p> <p><b>Note:</b> Currently only single item per request is supported. Requests submitted with more than one &lt;PeriodicItem&gt; element will be rejected with Status code "577".</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> DIGNO = 1, MINVAL = 1, MAXVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Currently always "1"</p> <p><b>Sub-elements:</b> No</p>
<PeriodicItem>	See PeriodicItem Element

##### 5.1.4.1.1 PeriodicItem Element

<b>Description:</b>	Contains information about a periodic or triggered transaction.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Validated by SecurePay:</b>	Yes
<b>Value:</b>	(No value)
<b>Attributes:</b>	Yes, see table below
<b>Sub-elements:</b>	Yes, see table below

##### 5.1.4.1.2 <PeriodicItem> sub-elements:

*Not all of the <PeriodicItem> sub-elements are required for different types of transactions. Please refer to section Transaction Type-Required Element Map for information what elements are required for various transaction types.*

Element	Comments
---------	----------

Element	Comments
<PeriodicItem.ID>	<p><b>Description:</b> Transaction ID is an attribute of &lt;PeriodicItem&gt; element and specifies transaction ID. All transactions should be numbered sequentially starting at "1".</p> <p><b>Note:</b> Currently only single transactions per request are supported. Transactions submitted with more than one &lt;PeriodicItem&gt; element will be rejected with Status code "577".</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> DIGNO = 1, MINVAL = 1, MAXVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Currently always "1"</p> <p><b>Sub-elements:</b> No</p>
<actionType>	<p><b>Description:</b> Action type specifies the type of action to be performed. Periodic and Triggered payments can either be added or deleted from SecurePay's database. Triggered payments can also be triggered.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> A, MINLEN = 1, MAXLEN = 20</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> One of the following:</p> <ul style="list-style-type: none"> <li>• "add"</li> <li>• "delete"</li> <li>• "trigger"</li> </ul> <p><b>Sub-elements:</b> No</p>
<periodicType>	<p><b>Description:</b> Periodic type specifies the type of transaction being processed.</p> <p><b>Format type:</b> Integer, see Appendix A: Periodic Types</p> <p><b>Format constraints:</b> DIGNO = 1, MINVAL = 1, MAXVAL = 4</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "1"</p> <p><b>Sub-elements:</b> No</p>
<paymentInterval>	<p><b>Description:</b> Payment interval specifies the frequency of the periodic payments.</p> <p><b>Format type:</b> Integer.</p> <p>For Day Based Periodic Payments the payment interval is a number of days between payments.</p> <p>For Calendar Based Periodic Payments see Appendix B: Calendar Payment Intervals.</p> <p><b>Format constraints:</b> MINVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "1" to indicate a payment recurring every day for Day Based Periodic Payments. Eg: "1" to indicate a weekly payment for Calendar Based Periodic Payments.</p> <p><b>Sub-elements:</b> No</p>
<amount>	<p><b>Description:</b> Transaction amount in cents.</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> MINVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "123" for \$1.23</p> <p><b>Sub-elements:</b> No</p>

Element	Comments
<clientID>	<b>Description:</b> Unique merchant transaction identifier, typically an invoice number. <b>Format type:</b> String <b>Format constraints:</b> For Credit Card payments ANS (All characters allowed except spaces and "" single quote), For Direct Entry payments EBCIDEC (see Appendix I: EBCIDEC Character Set), MINLEN = 1, MAXLEN = 20 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "order000235" <b>Sub-elements:</b> No
<startDate>	<b>Description:</b> Date indicating when the first payment should be processed. <b>Format type:</b> String, in Format YYYYMMDD <b>Format constraints:</b> N, LEN = 8 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "20041007" to process the first payment on October 10, 2004. <b>Sub-elements:</b> No
<numberOfPayments>	<b>Description:</b> Number of payments to occur for a particular periodic payment. <b>Format type:</b> Integer <b>Format constraints:</b> MINVAL = 1 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "7" for the payment to occur 7 times <b>Sub-elements:</b> No
<CreditCardInfo>	See CreditCardInfo Element
<DirectEntryInfo>	See DirectEntryInfo Element

#### 5.1.4.1.3 CreditCardInfo Element

<b>Description:</b>	Contains credit card information.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Validated by SecurePay:</b>	Yes
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<CreditCardInfo> sub-elements:

Element	Comments
<cardNumber>	<b>Description:</b> Credit card number. <b>Format type:</b> String <b>Format constraints:</b> N, MINLEN = 13, MAXLEN = 16 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "4242424242424242" <b>Sub-elements:</b> No

<cvv>	<p><b>Description:</b> Card verification value. The CVV value assists the bank with detecting fraudulent transactions based on automatically generated card numbers, as the CVV number is printed on the physical card and cannot be generated in conjunction with a card number. If passed, the bank may check the supplied value against the value recorded against the card. See Appendix D: Location of CVV</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> N, MINLEN = 3, MAXLEN = 4</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "123"</p> <p><b>Sub-elements:</b> No</p>
<expiryDate>	<p><b>Description:</b> Credit card expiry date.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> NS ('/'), LEN = 5</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "05/06" for May 2006</p> <p><b>Sub-elements:</b> No</p>
<recurringFlag>	<p><b>Description:</b> Marks the item as recurring. Recurring transactions may attract lower MSF for some merchants</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> A, MINLEN = 2, MAXLEN = 3</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: either "yes" or "no"</p> <p><b>Sub-elements:</b> No</p>

#### 5.1.4.1.4 DirectEntryInfo Element

**Description:** Contains direct entry information.

**Format type:** (No value)

**Format constraints:** (No value)

**Validated by SecurePay:** Yes

**Value:** (No value)

**Sub-elements:** Yes, see table below

<DirectEntryInfo> sub-elements:

Element	Comments
<bsbNumber>	<p><b>Description:</b> BSB number.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> N, LEN = 6</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "012012"</p> <p><b>Sub-elements:</b> No</p>
<accountNumber>	<p><b>Description:</b> Account number.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> N, MINLEN = 1, MAXLEN = 9</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "00123"</p> <p><b>Sub-elements:</b> No</p>

<accountName>	<b>Description:</b> Account name. <b>Format type:</b> String <b>Format constraints:</b> EBCIDEC (see Appendix I: EBCIDEC Character Set), MINLEN = 0, MAXLEN = 32 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "John Smith" <b>Sub-elements:</b> No
<creditFlag>	<b>Description:</b> Marks the item as credit. All Direct Entry transactions are debits as a default. <b>Format type:</b> String <b>Format constraints:</b> A, MINLEN = 2, MAXLEN = 3 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: either "yes" or "no" <b>Sub-elements:</b> No

#### 5.1.4.1.5 Transaction Type-Required Element Map

The table below shows which elements are required for each transaction type. Elements are mandatory, optional or not required.

ACTION TYPE ELEMENT	Adding Periodic or Triggered Payment	Deleting Periodic or Triggered Payment	Triggering Triggered Payment
	add	delete	trigger
<actionType>	M	M	M
<periodicType>	M	X	X
<paymentInterval>	M (periodic)	X	X
<amount>	M	X	O (triggered)
<clientID>	M	M	M
<startDate>	M (once off, periodic)	X	X
<numberOfPayments>	M (periodic)	X	X
<cardNumber>	M (cc)	X	X
<cvv>	O (cc)	X	X
<expiryDate>	M (cc)	X	X
<recurringFlag>	O (cc)	X	X
<bsbNumber>	M (de)	X	X
<accountNumber>	M (de)	X	X
<accountName>	M (de)	X	X
<creditFlag>	O (de)	X	X
<b>M</b> – Mandatory <b>O</b> – Optional <b>X</b> – Not required (ignored) <b>once off</b> – periodic type 1 <b>periodic</b> – periodic types 2 and 3 <b>triggered</b> – periodic type 4 <b>cc</b> – credit card payments only <b>de</b> – direct entry payments only			

## 5.2 Response Messages

Responses are the messages sent from SecurePay to the merchant in a response to a request message. Following sections describe elements common to all responses.

### 5.2.1 MessageInfo Element

<b>Description:</b>	Identifies the message.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<MessageInfo> sub-elements:

Element	Comments
<messageID>	<p><b>Description:</b> Unique identifier for the XML message. Returned unchanged from the request.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> AN, MINLEN = 0, MAXLEN = 30</p> <p><b>Value:</b> Eg: "8af793f9af34bea0cf40f5fb5c630c"</p> <p><b>Sub-elements:</b> No</p>
<messageTimestamp>	<p><b>Description:</b> Time of the response.</p> <p><b>Format type:</b> String, see Appendix E: Timestamp String Format</p> <p><b>Format constraints:</b> NS ('+', '-'), LEN = 24</p> <p><b>Value:</b> Eg: "20041803161306527000+660"</p> <p><b>Sub-elements:</b> No</p>
<apiVersion>	<p><b>Description:</b> Version of the product used. Returned unchanged from the request.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> ANS ('-', '.'), MINLEN = 1, MAXLEN = 13</p> <p><b>Value:</b> Eg: "spxml-4.2"</p> <p><b>Sub-elements:</b> No</p>

### 5.2.2 MerchantInfo Element

<b>Description:</b>	Identifies the merchant.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<MerchantInfo> sub-elements:

Element	Comments
<merchantID>	<p><b>Description:</b> Merchant ID. 5 or 7-character merchant ID supplied by SecurePay. Returned unchanged from the request.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> AN, MINLEN = 5, MAXLEN = 7</p> <p><b>Value:</b> 5-character merchant ID for Direct Entry transactions, eg: "ABC00" 7-character merchant ID for Credit Card transactions, eg: "ABC0001"</p> <p><b>Sub-elements:</b> No</p>

### 5.2.3 RequestType Element

<b>Description:</b>	Defines the type of the request being processed. Returned unchanged from the request.
<b>Format type:</b>	String
<b>Format constraints:</b>	A, MINLEN = 1, MAXLEN = 20
<b>Value:</b>	One of the following: <ul style="list-style-type: none"> <li>• “Periodic”</li> <li>• “Echo”</li> </ul>
<b>Sub-elements:</b>	No

### 5.2.4 Status Element

<b>Description:</b>	Status of the processing of merchant’s request. Always present in the response.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<Status> sub-elements:

Element	Comments
<statusCode>	<b>Description:</b> Status code. <b>Format type:</b> String, see Appendix F: SecurePay Status Codes <b>Format constraints:</b> N, MINLEN = 1, MAXLEN = 3 <b>Value:</b> Eg: “0” or “000” for Normal <b>Sub-elements:</b> No
<statusDescription>	<b>Description:</b> Status description. <b>Format type:</b> String, see Appendix F: SecurePay Status Codes <b>Format constraints:</b> ANS (All characters are allowed), MINLEN = 0, MAXLEN = 40 <b>Value:</b> Eg: “Normal” <b>Sub-elements:</b> No

### 5.2.5 Periodic Element

Following sections describe elements used in Periodic responses. The following elements will only be returned if Status received in the response is “000 – Normal” or “0 – Normal”.

<b>Description:</b>	Contains information about transactions processed.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<Periodic> sub-elements:

Element	Comments
<PeriodicList>	See PeriodicList Element

#### 5.2.5.1 PeriodicList Element

<b>Description:</b>	Contains list of transactions processed.
<b>Format type:</b>	(No value)

**Format constraints:** (No value)  
**Value:** (No value)  
**Attributes:** Yes, see table below  
**Sub-elements:** Yes, see table below

<PeriodicList> sub-elements:

Element	Comments
<PeriodicList.count>	<p><b>Description:</b> Transaction count is an attribute of &lt;PeriodicList&gt; element and specifies number of &lt;PeriodicItem&gt; elements. Returned unchanged from the request.</p> <p><b>Note:</b> Currently only single transactions per request are supported. Transactions submitted with more than one &lt;PeriodicItem&gt; element will be rejected with Status code "577".</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> DIGNO = 1, MINVAL = 1, MAXVAL = 1</p> <p><b>Value:</b> Currently always "1"</p> <p><b>Sub-elements:</b> No</p>
<PeriodicItem>	See PeriodicItem Element

#### 5.2.5.2 PeriodicItem Element

**Description:** Contains information about a transaction.  
**Format type:** (No value)  
**Format constraints:** (No value)  
**Value:** (No value)  
**Attributes:** Yes, see table below  
**Sub-elements:** Yes, see table below

<PeriodicItem> sub-elements:

*Not all of the <PeriodicItem> sub-elements will be returned in a response.*

Element	Comments
<PeriodicItem.ID>	<p><b>Description:</b> ID is an attribute of &lt;PeriodicItem&gt; element and specifies transaction ID. All transactions returned should be numbered sequentially starting at "1" just as they were in the request message. Returned unchanged from the request.</p> <p><b>Note:</b> Currently only single transactions per request are supported. Payments submitted with more than one &lt;Txn&gt; element will be rejected with Status code "577".</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> DIGNO = 1, MINVAL = 1, MAXVAL = 1</p> <p><b>Value:</b> Currently always "1"</p> <p><b>Sub-elements:</b> No</p>

Element	Comments
<actionType>	<p><b>Description:</b> Action type specifies the type of action to be performed. Returned unchanged from the request.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> A, MINLEN = 1, MAXLEN = 20</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> One of the following:</p> <ul style="list-style-type: none"> <li>• "add"</li> <li>• "delete"</li> <li>• "trigger"</li> </ul> <p><b>Sub-elements:</b> No</p>
<periodicType>	<p><b>Description:</b> Periodic type specifies the type of transaction being processed. Returned unchanged from the request.</p> <p><b>Format type:</b> Integer, see Appendix A: Periodic Types</p> <p><b>Format constraints:</b> DIGNO = 1, MINVAL = 1, MAXVAL = 4</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "1"</p> <p><b>Sub-elements:</b> No</p>
<paymentInterval>	<p><b>Description:</b> Payment interval specifies the frequency of the periodic payments. Returned unchanged from the request.</p> <p><b>Format type:</b> Integer. For Day Based Periodic Payments the payment interval is a number of days between payments. For Calendar Based Periodic Payments see Appendix B: Calendar Payment Intervals.</p> <p><b>Format constraints:</b> MINVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "1" to indicate a payment recurring every day for Day Based Periodic Payments. Eg: "1" to indicate a weekly payment for Calendar Based Periodic Payments.</p> <p><b>Sub-elements:</b> No</p>
<amount>	<p><b>Description:</b> Transaction amount in cents. Returned unchanged from the request.</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> MINVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "123" for \$1.23</p> <p><b>Sub-elements:</b> No</p>
<clientID>	<p><b>Description:</b> Unique merchant transaction identifier, typically an invoice number. Returned unchanged from the request.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> For Credit Card payments ANS (All characters allowed except spaces and "" single quote), For Direct Entry payments EBCIDEC (see Appendix I: EBCIDEC Character Set), MINLEN = 1, MAXLEN = 20</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "order000235"</p> <p><b>Sub-elements:</b> No</p>

Element	Comments
<startDate>	<p><b>Description:</b> Date indicating when the first payment should be processed. Returned unchanged from the request.</p> <p><b>Format type:</b> String, in Format YYYYMMDD</p> <p><b>Format constraints:</b> N, LEN = 8</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "20041007" to process the first payment on October 10, 2004.</p> <p><b>Sub-elements:</b> No</p>
<numberOfPayments>	<p><b>Description:</b> Number of payments to occur for a particular periodic payment. Returned unchanged from the request.</p> <p><b>Format type:</b> Integer</p> <p><b>Format constraints:</b> MINVAL = 1</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "7" for the payment to occur 7 times</p> <p><b>Sub-elements:</b> No</p>
<endDate>	<p><b>Description:</b> Date of the last scheduled payment.</p> <p><b>Format type:</b> String, in Format YYYYMMDD</p> <p><b>Format constraints:</b> N, LEN = 8</p> <p><b>Validated by SecurePay:</b> Yes</p> <p><b>Value:</b> Eg: "20041007" to indicate that the last payment will be processed on October 10, 2004.</p> <p><b>Sub-elements:</b> No</p>
<responseCode>	<p><b>Description:</b> Response code of the transaction. Either a 2-digit bank response (for triggered payments) or a 3-digit SecurePay Periodic response. Element &lt;responseText&gt; provides more information in a textual format. Refer to SecurePay Payment Response Codes documents for details of codes returned. This document may be downloaded from SecurePay's Merchant Login website or provided via email by SecurePay's Merchant Support team.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> AN, MINLEN = 2, MAXLEN = 3</p> <p><b>Value:</b> Eg: "00"</p> <p><b>Sub-elements:</b> No</p>
<responseText>	<p><b>Description:</b> Textual description of the response code received.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> ANS (All characters allowed), MINLEN = 0, MAXLEN = 40</p> <p><b>Value:</b> Eg: "Approved"</p> <p><b>Sub-elements:</b> No</p>
<successful>	<p><b>Description:</b> Indicates whether the transaction processed has been successfully added, deleted or triggered.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> A, MINLEN = 2, MAXLEN = 3</p> <p><b>Value:</b> Either "Yes" or "No"</p> <p><b>Sub-elements:</b> No</p>

Element	Comments
<settlementDate>	<p><b>Description:</b> Bank settlement date when the funds will be settled into the merchant's account (only for triggered payments). This will be the current date mostly, however after the bank's daily cut-off time, or on non-banking days, the settlement date will be the next business day. Will not be returned if the bank did not receive the transaction. (A settlement date may be returned for declined transactions.)</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> N, LEN = 8</p> <p><b>Value:</b> Eg: "20040326" for 26<sup>th</sup> March 2004</p> <p><b>Sub-elements:</b> No</p>
<txnID>	<p><b>Description:</b> Bank transaction ID (only for triggered payments). Will not be returned if the transaction has not been processed or in some cases if it was not received by the bank.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> AN, MINLEN = 6, MAXLEN = 16</p> <p><b>Value:</b> Eg: "TX123456"</p> <p><b>Sub-elements:</b> No</p>
<CreditCardInfo>	See CreditCardInfo Element
<DirectEntryInfo>	See DirectEntryInfo Element

#### 5.2.5.2.1 CreditCardInfo Element

<b>Description:</b>	Contains credit card information.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

<CreditCardInfo> sub-elements:

Element	Comments
<pan>	<p><b>Description:</b> Truncated credit card number. Contains first 6 digits of the card number, followed by "..." and then last 3 digits of the card number. May not be returned for invalid transactions.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> N, LEN = 12</p> <p><b>Value:</b> Eg: "424242...242"</p> <p><b>Sub-elements:</b> No</p>
<expiryDate>	<p><b>Description:</b> Credit card expiry date. May not be returned for invalid transactions.</p> <p><b>Format type:</b> String</p> <p><b>Format constraints:</b> NS ('/'), LEN = 5</p> <p><b>Value:</b> Eg: "05/06" for May 2006</p> <p><b>Sub-elements:</b> No</p>
<cardType>	<p><b>Description:</b> Card type used. May not be returned for invalid transactions.</p> <p><b>Format type:</b> Integer, see Appendix C: Card Types</p> <p><b>Format constraints:</b> DIGNO = 1</p> <p><b>Value:</b> Eg: "6" for Visa cards</p> <p><b>Sub-elements:</b> No</p>

<code>&lt;cardDescription&gt;</code>	<b>Description:</b> Card description. May not be returned for invalid transactions. <b>Format type:</b> String, see Appendix C: Card Types <b>Format constraints:</b> A, MINLEN = 0, MAXLEN = 20 <b>Value:</b> Eg: "Visa" <b>Sub-elements:</b> No
--------------------------------------	--

#### 5.2.5.2.2 DirectEntryInfo Element

<b>Description:</b>	Contains direct entry information.
<b>Format type:</b>	(No value)
<b>Format constraints:</b>	(No value)
<b>Validated by SecurePay:</b>	Yes
<b>Value:</b>	(No value)
<b>Sub-elements:</b>	Yes, see table below

`<DirectEntryInfo>` sub-elements:

Element	Comments
<code>&lt;bsbNumber&gt;</code>	<b>Description:</b> BSB number. May not be returned for invalid transactions. <b>Format type:</b> String <b>Format constraints:</b> N, LEN = 6 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "012012" <b>Sub-elements:</b> No
<code>&lt;accountNumber&gt;</code>	<b>Description:</b> Account number. May not be returned for invalid transactions. <b>Format type:</b> String <b>Format constraints:</b> N, MINLEN = 1, MAXLEN = 9 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "00123" <b>Sub-elements:</b> No
<code>&lt;accountName&gt;</code>	<b>Description:</b> Account name. May not be returned for invalid transactions. <b>Format type:</b> String <b>Format constraints:</b> EBCIDEC (see Appendix I: EBCIDEC Character Set), MINLEN = 0, MAXLEN = 32 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: "John Smith" <b>Sub-elements:</b> No
<code>&lt;creditFlag&gt;</code>	<b>Description:</b> Marks the item as credit. All Direct Entry transactions are debits as a default. May not be returned for invalid transactions. <b>Format type:</b> String <b>Format constraints:</b> A, MINLEN = 2, MAXLEN = 3 <b>Validated by SecurePay:</b> Yes <b>Value:</b> Eg: either "yes" or "no" <b>Sub-elements:</b> No

## 6 Payment URLs

The Periodic messages must be sent to the following URLs.

**Test URL:** <https://www.securepay.com.au/test/periodic>

**Live URL:** <https://www.securepay.com.au/xmlapi/periodic>

## 7 Sample XML Messages

### 7.1 Adding a Once Off Payment

*This is for Direct Entry*

#### 7.1.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff711c9d3</messageID>
    <messageTimestamp>20040710015921142000+600</messageTimestamp>
    <timeoutValue>60</timeoutValue>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <MerchantInfo>
    <merchantID>ABC00</merchantID>
    <password>changeit</password>
  </MerchantInfo>
  <RequestType>Periodic</RequestType>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>add</actionType>
        <clientID>test</clientID>
        <DirectEntryInfo>
          <bsbNumber>123123</bsbNumber>
          <accountNumber>1234</accountNumber>
          <accountName>John Smith</accountName>
          <creditFlag>no</creditFlag>
        </DirectEntryInfo>
        <amount>1100</amount>
        <periodicType>1</periodicType>
        <startDate>20041101</startDate>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

#### 7.1.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff711c9d3</messageID>
    <messageTimestamp>20040710115921873000+600</messageTimestamp>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <RequestType>Periodic</RequestType>
  <MerchantInfo>
    <merchantID>sec00</merchantID>
  </MerchantInfo>
  <Status>
    <statusCode>0</statusCode>
    <statusDescription>Normal</statusDescription>
```

```
</Status>
<Periodic>
  <PeriodicList count="1">
    <PeriodicItem ID="1">
      <actionType>add</actionType>
      <clientID>test</clientID>
      <responseCode>00</responseCode>
      <responseText>Successful</responseText>
      <successful>no</successful>
      <DirectEntryInfo>
        <bsbNumber>123123</bsbNumber>
        <accountNumber>1234</accountNumber>
        <accountName>John Smith</accountName>
        <creditFlag>yes</creditFlag>
      </DirectEntryInfo>
      <amount>1100</amount>
      <periodicType>1</periodicType>
      <paymentInterval/>
      <numberOfPayments/>
      <startDate>20041101</startDate>
      <endDate>20041101</endDate>
    </PeriodicItem>
  </PeriodicList>
</Periodic>
</SecurePayMessage>
```

## 7.2 Adding a Periodic Payment

*This is for a Credit Card*

### 7.2.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71a55f6</messageID>
    <messageTimestamp>20040710042843759000+600</messageTimestamp>
    <timeoutValue>60</timeoutValue>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
    <password>changeit</password>
  </MerchantInfo>
  <RequestType>Periodic</RequestType>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>add</actionType>
        <clientID>test2</clientID>
        <CreditCardInfo>
          <cardNumber>4444333322221111</cardNumber>
          <cvv>123</cvv>
          <expiryDate>09/15</expiryDate>
        </CreditCardInfo>
        <amount>1100</amount>
        <periodicType>2</periodicType>
```

```
<paymentInterval>10</paymentInterval>
<startDate>20041101</startDate>
<numberOfPayments>2</numberOfPayments>
</PeriodicItem>
</PeriodicList>
</Periodic>
</SecurePayMessage>
```

### 7.2.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71a55f6</messageID>
    <messageTimestamp>20040710142844382000+600</messageTimestamp>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <RequestType>Periodic</RequestType>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
  </MerchantInfo>
  <Status>
    <statusCode>0</statusCode>
    <statusDescription>Normal</statusDescription>
  </Status>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>add</actionType>
        <clientID>test2</clientID>
        <responseCode>00</responseCode>
        <responseText>Successful</responseText>
        <successful>yes</successful>
        <CreditCardInfo>
          <pan>444433...111</pan>
          <expiryDate>15/08</expiryDate>
          <recurringFlag>no</recurringFlag>
        </CreditCardInfo>
        <amount>1100</amount>
        <periodicType>2</periodicType>
        <paymentInterval>10</paymentInterval>
        <startDate>20041101</startDate>
        <endDate>20041111</endDate>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

## 7.3 Adding a Triggered Payment

*This is for a Credit Card.*

### 7.3.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
```

```
<MessageInfo>
  <messageID>8af793f9af34bea0ecd7eff71b37ef</messageID>
  <messageTimestamp>20040710044409342000+600</messageTimestamp>
  <timeoutValue>60</timeoutValue>
  <apiVersion>spxml-3.0</apiVersion>
</MessageInfo>
<MerchantInfo>
  <merchantID>ABC0001</merchantID>
  <password>changeit</password>
</MerchantInfo>
<RequestType>Periodic</RequestType>
<Periodic>
  <PeriodicList count="1">
    <PeriodicItem ID="1">
      <actionType>add</actionType>
      <clientID>test3</clientID>
      <CreditCardInfo>
        <cardNumber>4444333322221111</cardNumber>
        <cvv>123</cvv>
        <expiryDate>09/15</expiryDate>
      </CreditCardInfo>
      <amount>1100</amount>
      <periodicType>4</periodicType>
    </PeriodicItem>
  </PeriodicList>
</Periodic>
</SecurePayMessage>
```

### 7.3.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71b37ef</messageID>
    <messageTimestamp>20040710144410220000+600</messageTimestamp>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <RequestType>Periodic</RequestType>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
  </MerchantInfo>
  <Status>
    <statusCode>0</statusCode>
    <statusDescription>Normal</statusDescription>
  </Status>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>add</actionType>
        <clientID>test3</clientID>
        <responseCode>00</responseCode>
        <responseText>Successful</responseText>
        <successful>yes</successful>
        <CreditCardInfo>
          <pan>444433...111</pan>
          <expiryDate>09/15</expiryDate>
          <recurringFlag>no</recurringFlag>
        </CreditCardInfo>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

```
<amount>1100</amount>
<periodicType>4</periodicType>
</PeriodicItem>
</PeriodicList>
</Periodic>
</SecurePayMessage>
```

## 7.4 Deleting a Payment

### 7.4.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71c3ef1</messageID>
    <messageTimestamp>20040710050206632000+600</messageTimestamp>
    <timeoutValue>60</timeoutValue>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
    <password>changeit</password>
  </MerchantInfo>
  <RequestType>Periodic</RequestType>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>delete</actionType>
        <clientID>test2</clientID>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

### 7.4.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71c3ef1</messageID>
    <messageTimestamp>20040710150207549000+600</messageTimestamp>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <RequestType>Periodic</RequestType>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
  </MerchantInfo>
  <Status>
    <statusCode>0</statusCode>
    <statusDescription>Normal</statusDescription>
  </Status>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>delete</actionType>
        <clientID>test2</clientID>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

```
<responseCode>00</responseCode>
<responseText>Successful</responseText>
<successful>yes</successful>
</PeriodicItem>
</PeriodicList>
</Periodic>
</SecurePayMessage>
```

## 7.5 Triggering a Triggered Payment

### 7.5.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71c94d6</messageID>
    <messageTimestamp>20040710050758444000+600</messageTimestamp>
    <timeoutValue>60</timeoutValue>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
    <password>changeit</password>
  </MerchantInfo>
  <RequestType>Periodic</RequestType>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
        <actionType>trigger</actionType>
        <clientID>test3</clientID>
        <amount>1400</amount>
      </PeriodicItem>
    </PeriodicList>
  </Periodic>
</SecurePayMessage>
```

### 7.5.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0ecd7eff71c94d6</messageID>
    <messageTimestamp>20040710150808428000+600</messageTimestamp>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <RequestType>Periodic</RequestType>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
  </MerchantInfo>
  <Status>
    <statusCode>0</statusCode>
    <statusDescription>Normal</statusDescription>
  </Status>
  <Periodic>
    <PeriodicList count="1">
      <PeriodicItem ID="1">
```

```
<actionType>trigger</actionType>
<clientID>test3</clientID>
<responseCode>00</responseCode>
<responseText>Approved</responseText>
<successful>yes</successful>
<amount>1400</amount>
<txnID>011700</txnID>
<CreditCardInfo>
  <pan>424242...242</pan>
  <expiryDate>09/08</expiryDate>
  <recurringFlag>no</recurringFlag>
  <cardType>6</cardType>
  <cardDescription>Visa</cardDescription>
</CreditCardInfo>
<settlementDate>20041007</settlementDate>
</PeriodicItem>
</PeriodicList>
</Periodic>
</SecurePayMessage>
```

]

## 8 Echo Message Elements

### 8.1 Request Messages

Echo requests do not have any additional elements.

*The following <RequestType> element value must be used for all Echo messages:*

```
<RequestType>Echo</RequestType>
```

SecurePay recommends that the Echo messages should not be sent more often than every 5 minutes and only if there were no real transactions processed in the last 5 minutes.

### 8.2 Response Messages

Echo responses do not return any additional elements. The <Status> element will return a response code "000" if the service is available.

### 8.3 Echo URLs

Echo requests can be sent to any of the Payment URLs to verify if the service is available. The Status Code returned in the Echo response will be "000" if the service is up.

### 8.4 Sample XML Messages

#### 8.4.1 Echo

#### 8.4.2 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0cf40f5fb79f383</messageID>
    <messageTimestamp>20042403095953349000+660</messageTimestamp>
    <timeoutValue>60</timeoutValue>
    <apiVersion>spxml-3.0</apiVersion>
  </MessageInfo>
  <MerchantInfo>
    <merchantID>ABC0001</merchantID>
    <password>changeit</password>
  </MerchantInfo>
  <RequestType>Echo</RequestType>
</SecurePayMessage>
```

#### 8.4.2.1 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SecurePayMessage>
  <MessageInfo>
    <messageID>8af793f9af34bea0cf40f5fb79f383</messageID>
```

```
<messageTimestamp>20042403095956732000+660</messageTimestamp>
<apiVersion>spxml-3.0</apiVersion>
</MessageInfo>
<MerchantInfo>
  <merchantID>ABC0001</merchantID>
</MerchantInfo>
<RequestType>Echo</RequestType>
<Status>
  <statusCode>000</statusCode>
  <statusDescription>Normal</statusDescription>
</Status>
</SecurePayMessage>
```

## 9 XML Over HTTP

The structure of the HTTP request and response messages will conform to the HTTP 1.1 network protocol.

Below are examples of the expected HTTP exchange.

*The HTTP communication between the client and SecurePay Payment Server must be done via SSL socket so that the sensitive information included in the request and response messages is encrypted.*

### 9.1 Request

```
POST /test/periodic HTTP/1.1
host: www.securepay.com.au
content-type: text/xml
content-length: 581
```

```
<?xml version="1.0" encoding="UTF-8" ?><SecurePayMessage><MessageInfo><messageID>8af793f9af34bea0ecd7eff71c94d6</messageID><messageTimestamp>20040710050758444000+600</messageTimestamp><timeoutValue>60</timeoutValue><apiVersion>spxml-3.0</apiVersion></MessageInfo><MerchantInfo><merchantID>ABC0001</merchantID><password>changeit</password></MerchantInfo><RequestType>Periodic</RequestType><Periodic><PeriodicList count="1"><PeriodicItem ID="1"><actionType>trigger</actionType><clientID>test3</clientID><amount>1400</amount></PeriodicItem></PeriodicList></Periodic></SecurePayMessage>
```

### 9.2 Response

The initial HTTP server response (100 continue) is to indicate that the request has been received and should be ignored. The 200 response should follow with the XML response message. If content length is 0 and no XML response is included then the request could not be understood and no response was produced.

```
HTTP/1.1 100 Continue
Server: Microsoft-IIS/5.0
Date: Thu, 07 Oct 2004 05:43:16 GMT
HTTP/1.1 200 OK
Server: Microsoft-IIS/5.0
Date: Thu, 07 Oct 2004 05:43:59 GMT
Content-Type: text/xml
Content-Length: 948
```

```
<?xml version="1.0" encoding="UTF-8" ?>
<SecurePayMessage><MessageInfo><messageID>8af793f9af34bea0ecd7eff71c94d6</messageID><messageTimestamp>20040710154359932000+600</messageTimestamp><apiVersion>spxml-3.0</apiVersion></MessageInfo><RequestType>Periodic</RequestType><MerchantInfo><merchantID>ABC0001</merchantID></MerchantInfo><Status><statusCode>0</statusCode><statusDescription>Normal</statusDescription></Status><Periodic><PeriodicList count="1"><PeriodicItem ID="1"><actionType>trigger</actionType><clientID>test3</clientID><responseCode>00</responseCode><responseText>Approved</responseText><successful>yes</successful><amount>1400</amount><txnID>011502</txnID><CreditCardInfo><pan>424242...242</pan><expiryDate>09/08</expiryDate><recurringFlag>no</recurringFlag><cardType>6</cardType><cardDescription>Visa</cardDescription></CreditCardInfo><settlementDate>20041007</settlementDate></PeriodicItem></PeriodicList></Periodic></SecurePayMessage>
```

## Appendix A: Periodic Types

Periodic types define the type of transaction to be processed by SecurePay.

Code	Description
1	Once Off Payment
2	Day Based Periodic Payment
3	Calendar Based Periodic Payment
4	Triggered Payment

## Appendix B: Calendar Payment Intervals

The Periodic payment interval values in the table below apply only to payments where periodic type is type 3, Calendar Based Payment.

Code	Description
1	Weekly
2	Fortnightly
3	Monthly
4	Quarterly
5	Half Yearly
6	Annually

## Appendix C: Card Types

SecurePay uses numeric codes to refer to credit card types in our system.

Code	Description
0	Unknown
1	JCB
2	American Express (Amex)
3	Diners Club
4	Bankcard
5	MasterCard
6	Visa

## Appendix D: Location of CWV

The Card Verification Value is an anti-fraud measure used by some banks to prevent payments from generated card numbers. The CVV number is printed on the physical card, and is randomly assigned, therefore cannot be auto-generated.

The CVV number can be found in the following places:

Card Type	Location
<b>Visa</b>	Signature strip on back of card. Last digits of card number are re-printed in reverse italics, followed by 3-digit CVV.
<b>MasterCard</b>	Signature strip on back of card. Last digits of card number are re-printed in reverse italics, followed by 3-digit CVV.
<b>Bankcard</b>	Signature strip on back of card. Last digits of card number are re-printed in reverse italics, followed by 3-digit CVV.
<b>Amex</b>	4 digit CVV above card number on front of card.
<b>Diners Club</b>	Signature strip on back of card. Last digits of card number are re-printed in reverse italics, followed by 3-digit CVV.
<b>JCB</b>	Not used

## Appendix E: Timestamp String Format

The format of the Timestamp or Log Time strings returned by SecureJava is:

**YYYYDDMMHHNNSSKKK000s000**

where:

- YYYY is a 4-digit year
- DD is a 2-digit zero-padded day of month
- MM is a 2-digit zero-padded month of year (January = 01)
- HH is a 2-digit zero-padded hour of day in 24-hour clock format (midnight =0)
- NN is a 2-digit zero-padded minute of hour
- SS is a 2-digit zero-padded second of minute
- KKK is a 3-digit zero-padded millisecond of second
- 000 is a Static 0 characters, as SecurePay does not store nanoseconds
- s000 is a Time zone offset, where s is "+" or "-", and 000 = minutes, from GMT.

E.g. June 24, 2002 5:12:16.789 PM, Australian EST is:

**20022406171216789000+600**

## Appendix F: SecurePay Status Codes

Status Code	Response Text	Description
000	Normal	Message processed correctly (check transaction response for details).
504	Invalid Merchant ID	If Merchant ID does not follow the format XXXDDDD, where X is a letter and D is a digit, or Merchant ID is not found in SecurePay's database.
505	Invalid URL	The URL passed to either Echo, Query, or Payment object is invalid.
510	Unable To Connect To Server	Produced by SecurePay Client API when unable to establish connection to SecurePay Payment Gateway
511	Server Connection Aborted During Transaction	Produced by SecurePay Client API when connection to SecurePay Payment Gateway is lost after the payment transaction has been sent
512	Transaction timed out By Client	Produced by SecurePay Client API when no response to payment transaction has been received from SecurePay Payment Gateway within predefined time period (default 80 seconds)
513	General Database Error	Unable to read information from the database.
514	Error loading properties file	Payment Gateway encountered an error while loading configuration information for this transaction
515	Fatal Unknown Error	Transaction could not be processed by the Payment Gateway due to unknown reasons
516	Request type unavailable	SecurePay system doesn't support the requested transaction type
517	Message Format Error	SecurePay Payment Gateway couldn't correctly interpret the transaction message sent
524	Response not received	The client could not receive a response from the server.
545	System maintenance in progress	The system maintenance is in progress and the system is currently unable to process transactions
550	Invalid password	The merchant has attempted to process a request with an invalid password.
575	Not implemented	This functionality has not yet been implemented
577	Too Many Records for Processing	The maximum number of allowed events in a single message has been exceeded.
580	Process method has not been called	The process() method on either Echo, Payment or Query object has not been called
595	Merchant Disabled	SecurePay has disabled the merchant and the requests from this merchant will not be processed.

## Appendix G: XML Request DTD

```
<!-- ELEMENT SecurePayMessage (MessageInfo, RequestType, MerchantInfo, Periodic)>
<!-- define elements for SecurePayMessage -->
<!-- ELEMENT MessageInfo (messageID, messageTimestamp, apiVersion)>
<!-- ELEMENT RequestType (#PCDATA)>
<!-- ELEMENT MerchantInfo (merchantID)>
<!-- ELEMENT Periodic (PeriodicList)>

<!-- define elements for MessageInfo -->
<!-- ELEMENT messageID (#PCDATA)>
<!-- ELEMENT messageTimestamp (#PCDATA)>
<!-- ELEMENT apiVersion (#PCDATA)>

<!-- define elements for MerchantInfo -->
<!-- ELEMENT merchantID (#PCDATA)>

<!-- define elements for Periodic -->
<!-- ELEMENT PeriodicList (PeriodicItem*)>
<!-- ATTLIST PeriodicList
      count CDATA #REQUIRED>

<!-- define elements for PeriodicList -->
<!-- ELEMENT PeriodicItem (actionType, clientID, CreditCardInfo?,
DirectEntryInfo?,
      amount?, periodicType?, paymentInterval?, startDate?, numberOfPayments?)>
<!-- ATTLIST PeriodicItem ID CDATA #REQUIRED>

<!-- define elements for PeriodicItem -->
<!-- ELEMENT actionType (#PCDATA)>
<!-- ELEMENT clientID (#PCDATA)>
<!-- ELEMENT CreditCardInfo (cardNumber, cvv?, expiryDate, recurringFlag?)>
<!-- ELEMENT DirectEntryInfo (bsbNumber, accountNumber, accountName, creditFlag?)>
<!-- ELEMENT amount (#PCDATA)>
<!-- ELEMENT periodicType (#PCDATA)>
<!-- ELEMENT paymentInterval (#PCDATA)>
<!-- ELEMENT startDate (#PCDATA)>
<!-- ELEMENT numberOfPayments (#PCDATA)>

<!-- define elements for CreditCardInfo -->
<!-- ELEMENT cardNumber (#PCDATA)>
<!-- ELEMENT cvv (#PCDATA)>
<!-- ELEMENT expiryDate (#PCDATA)>
<!-- ELEMENT recurringFlag (#PCDATA)>

<!-- define elements for DirectEntryInfo -->
<!-- ELEMENT bsbNumber (#PCDATA)>
<!-- ELEMENT accountNumber (#PCDATA)>
<!-- ELEMENT accountName (#PCDATA)>
<!-- ELEMENT creditFlag (#PCDATA)>
```

## Appendix H: XML Response DTD

```
<!ELEMENT SecurePayMessage (MessageInfo, RequestType, MerchantInfo, Status,
Periodic)>

<!-- define elements for SecurePayMessage -->
<!ELEMENT MessageInfo (messageID, messageTimestamp, apiVersion)>
<!ELEMENT RequestType (#PCDATA)>
<!ELEMENT MerchantInfo (merchantID)>
<!ELEMENT Status (statusCode, statusDescription)>
<!ELEMENT Periodic (PeriodicList)>

<!-- define elements for MessageInfo -->
<!ELEMENT messageID (#PCDATA)>
<!ELEMENT messageTimestamp (#PCDATA)>
<!ELEMENT apiVersion (#PCDATA)>

<!-- define elements for MerchantInfo -->
<!ELEMENT merchantID (#PCDATA)>

<!-- define elements for Status -->
<!ELEMENT statusCode (#PCDATA)>
<!ELEMENT statusDescription (#PCDATA)>

<!-- define elements for Periodic -->
<!ELEMENT PeriodicList (PeriodicItem*)>
<!ATTLIST PeriodicList
    count CDATA #REQUIRED>

<!-- define elements for PeriodicList -->
<!ELEMENT PeriodicItem (actionType, clientID, CreditCardInfo?,
DirectEntryInfo?,
    amount?, periodicType?, paymentInterval?, startDate?, endDate?,
numberOfPayments?,
    responseCode, responseText, successful, settlementDate?, txnID?)>
<!ATTLIST PeriodicItem ID CDATA #REQUIRED>

<!-- define elements for PeriodicItem -->
<!ELEMENT actionType (#PCDATA)>
<!ELEMENT clientID (#PCDATA)>
<!ELEMENT CreditCardInfo (pan, expiryDate, recurringFlag?, cardType?,
cardDescription?)>
<!ELEMENT DirectEntryInfo (bsbNumber, accountNumber, accountName, creditFlag?)>
<!ELEMENT amount (#PCDATA)>
<!ELEMENT periodicType (#PCDATA)>
<!ELEMENT paymentInterval (#PCDATA)>
<!ELEMENT startDate (#PCDATA)>
<!ELEMENT endDate (#PCDATA)>
<!ELEMENT numberOfPayments (#PCDATA)>
<!ELEMENT responseCode (#PCDATA)>
<!ELEMENT responseText (#PCDATA)>
<!ELEMENT successful (#PCDATA)>
<!ELEMENT settlementDate (#PCDATA)>
<!ELEMENT txnID (#PCDATA)>

<!-- define elements for CreditCardInfo -->
<!ELEMENT pan (#PCDATA)>
```

```
<!ELEMENT expiryDate (#PCDATA)>
<!ELEMENT recurringFlag (#PCDATA)>
<!ELEMENT cardType (#PCDATA)>
<!ELEMENT cardDescription (#PCDATA)>

<!-- define elements for DirectEntryInfo -->
<!ELEMENT bsbNumber (#PCDATA)>
<!ELEMENT accountNumber (#PCDATA)>
<!ELEMENT accountName (#PCDATA)>
<!ELEMENT creditFlag (#PCDATA)>
```

## Appendix I: EBCIDEC Character Set

Description	Characters allowed
Numeric	0 - 9
Alphabetic	a - z, A - Z
Oblique slash	/
Hyphen	-
Ampersand	&
Period	.
Asterisk	*
Apostrophe	'
Blank space	